DYNAMIC ABUTMENT® SOLUTIONS

MULTI-UNIT DASSYSTEM

Work different, work better

DYNAMIC ABUTMENT® SOLUTIONS

DYNAMIC ABUTMENT® SOLUTIONS

MULTI-UNIT DASSYSTEM

Work different, work better



Digital workflow from the beginning to the end of the work.
With both intraoral and lab scanners.
Also available with full analogue workflow.

DIGITAL WORKFLOW - MULTI-UNIT DAS SYSTEM

CAD-CAM WORKFLOW - MULTI-UNIT DAS SYSTEM



MULTI-UNIT

The Multi-unit abutment has been carefully designed to rehabilitate partially or fully edentulous arches, as well as individual.

Maximum diameter of the MU is 4mm, being narrower it avoids contact with the bone



Lower cone height which allows greater disparalelism than the classic multi-unit.

Divergence between implants: 50º

Concave design facilitates healing and soft tissue adaptation.

Available in 4 gingival heights.

1mm 2mm 3mm 4mm



MU Insertion Procedure



Step1

Use the plastic gripping tool to attach the Multi-Unit to the implant.



Step2

Remove the plastic tool.



Step3

Tighten Multi-Unit to 30N.cm using the MU Screwdriver.

MU Healing Caps





Healing cap Regular



Healing cap Wide

MULTI-UNIT SCANBODY



Scanbody system with minimum height, allowing in edentulous situations, the upper part of the scanbody to be as close as possible to the gum and not lose scan reference.



The screw is captive inside the scanbody

MULTI-UNIT SCANALOG



ScAnalog

Impression coping

Impression coping screw

DYNAMIC µSCANBODY

All components of the Multi-Unit DAS System can also be used with the Dynamic µScanbody.

For non-engaging prosthetic options only.

You can scan with the Dynamic µScanbody and then use the special Dynamic µScanbody library with the MU components.

DIGITAL ANALOG

Digital analog of the dental implant to simulate implant position in a 3D printed dental model.



ANALOG

Also available traditional analog for plaster model.



Concave notch

Top precision in longitudinal position

Screwed fastening

Prevents the analog from moving in Z

Curved Surface

Longitudinal cut to avoid rotation X-Y

Longitudinal cut

Longitudinal cut to avoid rotation X-Y

DYNAMIC TIBASE®

To correct ANGULATION up to 45º



Angulated screw chanel

Straight screw chanel

NON-ENGAGING / ENGAGING

CAD DESIGN



3shape

exocad

dental wings

DAS Multi-unit system **allows** to **change** the **MU** in the **library** without rescaning or redesigning the case. That facilities the lab and clinic work, as technician can change the MU without the need to make a new appointment with the patient to re-scan.

DIRECT TO IMPLANT (One piece)



Step 1
Crown with pre drill

Step 2
Crown with angled chanel



Step 3
DMTONE
Crown with Dynamic Milling Tool. Milling the screw seat and increasing the diameter of the straight channel.

DMTONE
DYNAMIC MILLING TOOL

Dynamic screw

Provisional Dynamic screw

Final restorations 0-45º

Direct to implant libraries available R/NR

Greater seating thickness
Greater contact surface between the screw and the material for greater safety in soft materials.

Provisional restorations up to 35º

Provisional Direct to implant libraries available R/NR

DAS MU LIBRARIES

DAS MU
PREMIUM
library



MU Scanbody
DAS_MU_XXXX*_PREMIUM

MU ScAnalog
DAS_MU_SA_XXXX*_PREMIUM

Dynamic µScanbody
DAS_MU_I/IG_XXXX*_PREMIUM

*XXXX= compatibility code

MU DAS SYSTEM COMPONENTS

Ratchet
49.409.000.01-2

Screwdriver
43.321.316.01-2

Healing Cap Regular
40.320.003.98-2

Healing Cap Wide
40.320.003.99-2

Impression coping
29.301.000.10-2

Analog
22.612.209.01-2

Digital Analog
34.312.209.01-2

MU Scanbody
53.412.209.01-2

MU ScAnalog
23.412.209.01-2

Engaging MU
Dynamic TiBase®
31.312.209.01-2

Non-Engaging MU
Dynamic TiBase®
31.322.209.01-2

Dynamic Screw
41.320.040.01-2

Provisional
Dynamic Screw
41.320.050.02-2

Straight Screw
40.320.003.06-2

Dynamic Screwdriver
43.618.201.01-2 (18mm)
43.624.201.01-2 (24mm)
43.632.201.01-2 (32mm)

Screwdriver Hex.1,2
43.618.103.01-2

MU DMTone
33.390.716.01-2 Shank Ø3
33.490.716.01-2 Shank Ø4
33.690.716.01-2 Shank Ø6

DYNAMIC ABUTMENT SOLUTIONS

MULTI-UNIT DASSYSTEM

Work different, work better



LIST OF COMPATIBILITIES AVAILABLE

AB
ACE
ADIN
ALPHABIO
ANCLADEN
ANKYLOS
ARDS
ASTRA
AVINENT
BEGO
BIOCONCEPT
BIOGENESIS
BIOHORIZONS
BIOMET 3i
BIONER
BIOTEC
BTK
B&W
CONEXÃO SISTEMA DE PRÓTESE
CORTEX
DENTIUM
DIO IMPLANTS
EASY IMPLANT
EUROTEKNIKA
HAHN IMPLANT (GLIDEWELL)
HI-TEC
HIOSSEN
IBS
IDO IMPLANTS
IHDE DENTAL (IMBIODENT)
IMPLANT DIRECT
IMPLANT GENESIS
INTRA-LOCK
JDENTALCARE
LEADER
MEGAGEN
MIS
MOZO-GRAU
MPI
NEOBIOTECH
NOBEL BIOCARE
NORIS MEDICAL
OSTEOPLUS
OSSTEM IMPLANT
PROCLINIC
SEWON MEDIX
SGS
SIGNO VINCES
SOUTHERN IMPLANTS
STRAUMANN
TITANIUM - FIX
TRE-OSS
TRI DENTAL IMPLANTS
UFIT
VULKAN IMPLANTS
YES IMPLANT
ZIMMER

AB

- I2
  Implant: Ø 3,5/3,75/4,2/4,5/ 5/6
  Platform: Standard (Code 0040) p.25
- I22
  Implant: Ø 3,75/4,22
  Platform: Standard (Code 0040) p. 25
- I5
  Implant: Ø 3,5/3,75/4,2/4,5/5/6/7/8
  Platform: Standard (Code 0040) p. 25
- I55
  Implant: Ø 3,75/4,2/4,5/5/6/7/8
  Platform: Standard (Code 0040) p. 25
- I10
  Implant: Ø 4,2/5
  Platform: Standard (Code 0040) p. 25
- I15
  Implant: Ø 6/7/8
  Platform: Standard (Code 0040) p. 25

ACE

- Infinity Internal Hex
  Implant: Ø 3,7/4,1
  Platform: 3,5 (Code 0040) p. 25

ADIN

- Swell
  Implant: Ø 3,3
  Platform: 3,45 (Code 0040) p. 25
  Implant: Ø 3,75/4,2
  Platform: 3,6 (Code 0040) p. 25
  Implant: Ø 5
  Platform: 4 (Code 0040) p. 25
  Implant: Ø 6
  Platform: 4,6 (Code 0040) p. 25
- Touareg-S / Touareg-OS
  Implant: Ø 3,5
  Platform: 3,45 (Code 0040) p. 25
  Implant: Ø 3,75/4,2
  Platform: 3,6 (Code 0040) p. 25
  Implant: Ø 5
  Platform: 4 (Code 0040) p. 25
  Implant: Ø 6
  Platform: 5 (Code 0040) p. 25
- Touareg CloseFit
  Implant: Ø 3,5
  Platform: RP (Code 0021) p. 23

ALPHABIO

- Internal Hex Connection (IH) SPI
  Implant: Ø 3,3/3,75/4,2/5/6
  Platform: Universal (Code 0040) p. 25
- Internal Hex Connection (IH) ICE
  Implant: Ø 3,7/3,75/4,2/4,65/5,3
  Platform: Universal (Code 0040) p. 25
- Internal Hex Connection (IH) DFI
  Implant: Ø 3,3/3,75/4,2/4,5
  Platform: Universal (Code 0040) p. 25
- Internal Hex Connection (IH) ATID
  Implant: Ø 3,3/3,75/4,2/5/6
  Platform: Universal (Code 0040) p. 25
- Internal Hex Connection (IH) NEO
  Implant: Ø 3,75/4,2/5
  Platform: 3,5 (Code 0040) p. 25
- Conical Standard Connection (CS)
  Implant: Ø 3,75/4,2/5
  Platform: Standard (Code 0169) p. 26

ANCLADEN

- Anclalock
  Implant: Ø 3,75/4,25/5
  Platform: 3,5 (Code 0040) p. 25

ARDS

- Smart
  Implant: Ø 3,75/4,2/4,5
  Platform: 3,75 (Code 0040) p. 25
- Classic
  Implant: Ø 3,75/4,2/4,5
  Platform: 3,75 (Code 0040) p. 25
  Implant: Ø 3,3/3,75/4,2/5/6
  Platform: 3,75 (Code 0040) p. 25
- Premium
  Implant: Ø 3,3/3,75/4,2/5/6
  Platform: 3,75 (Code 0040) p. 25
- CIT
  Implant: Ø 3,3/3,75/4,2/5/6
  Platform: 3,75 (Code 0040) p. 25

ANKYLOS

- Ankylos
  Implant: Ø 3,5
  Platform: 3,5 (Code 0075) p. 25
  Implant: Ø 4,5
  Platform: 4,5 (Code 0075) p. 25
  Implant: Ø 5,5
  Platform: 5,5 (Code 0075) p. 25
  Implant: Ø 7
  Platform: 7 (Code 0075) p. 25

ASTRA

- Aqua
  Implant: Ø 3,5/4
  Platform: Aqua (Code 0004) p. 22
- Evolution (Internal)
  Implant: Ø 3,6
  Platform: 3,6 (Code 0006) p. 23

AVINENT

- HI/IC
  Implant: Ø 3,1//3,5/4
  Platform: 3,5 (Code 0040) p. 25

BIOCONCEPT

- BC Bone Level
  Implant: Ø 3,3
  Platform: Narrow (Code 0033) p. 24
  Implant: Ø 4,1/4,8
  Platform: Regular (Code 0035) p. 25
- BV Tapered Bone Level
  Implant: Ø 4/4,5/5
  Platform: Regular (Code 0030) p. 24

BIOHORIZONS

- Tapered Internal
  Implant: Ø 3,8
  Platform: 3,5 (Yellow) (Code 0040) p. 25
- Internal
  Implant: Ø 3,5/4
  Platform: 3,5 (Yellow) (Code 0040) p. 25

BIOMET 3i

- Certain
  Implant: Ø 3,25/4
  Platform: 3,4 (Code 0001) p. 22
  Implant: Ø 4/5
  Platform: 4,1 (Code 0001) p. 22

BIONER

- Hikelt
  Implant: Ø 3,8
  Platform: 3,95 (Code 0040) p. 25
- TopDM
  Implant: Ø 3,5
  Platform: 3,5 (Code 0021) p. 23
  Implant: Ø 4
  Platform: 4 (Code 0021) p. 23
  Implant: Ø 5
  Platform: 5 (Code 0021) p. 23

BIOTEC

- SPR/CIM
  Implant: Ø 3,3
  Platform: 3,3 (Code 0040) p. 25
  Implant: Ø 3,75
  Platform: 3,75 (Code 0040) p. 25
- SPR/SPTT/CIM
  Implant: Ø 4,2
  Platform: 4,2 (Code 0040) p. 25
  Implant: Ø 5
  Platform: 5 (Code 0040) p. 25

BTK

- Klassic / Konic
  Implant: Ø 3,25/4
  Platform: 3,5 IR (Code 0040) p. 25

B&W

- Internal Hexagon CIH
  Implant: Ø 3,3/4
  Platform: 4 (Code 0040) p. 25

CONEXÃO SISTEMA DE PRÓTESE

- Flash
  Implant: Ø 3,5/4,3/5
  Platform: Universal (Code 0021) p. 23
- Torq
  Implant: Ø 3,5/3,75/4
  Platform: Universal (Code 0021) p. 23
- Expand
  Implant: Ø 3,75/4/5
  Platform: Universal (Code 0021) p. 23

CORTEX

- Dynamix
  Implant: Ø 3,3/3,8/4,2/5/6
  Platform: 3,75 (Code 0040) p. 25
- Classix
  Implant: Ø 3,3/3,8/4,2/5/6
  Platform: 3,75 (Code 0040) p. 25
- Saturn
  Implant: Ø 3,8/4,2
  Platform: 3,5 (Code 0040) p. 25
- Conical Platform:
  Implant: Ø 3,3/3,8/4,2
  Platform: RP (Code 0004) p. 22
- Magix
  Implant: Ø 3,3/3,8/4,2
  Platform: RP (Code 0004) p. 22

DENTIS

- s-Clean
  Implant: Ø 3,7
  Platform: Mini (Code 0030) p. 24
  Implant: Ø 4,1/4,3
  Platform: Regular (Code 0030) p. 24
  Implant: Ø 4,8
  Platform: Wide (Code 0030) p. 24

DENTIUM

SuperLine and Implantium

Implant: Ø 3,4
Platform: 3,6 (Code 0030) p. 24

Implant: Ø 3,8
Platform: 4 (Code 0030) p. 24

Implant: Ø 4,3
Platform: 4,5 (Code 0030) p. 24

Implant: Ø 4,8
Platform: 5 (Code 0030) p. 24

Implant: Ø 4,8
Platform: 6 (Code 0030) p. 24

DIO IMPLANTS

UF II

Implant: Ø 3,8/4/4,5/5/5,5
Platform: Regular (Code 0030) p. 24

EASY IMPLANT

Master C

Implant: Ø 3,5
Platform: 3,5 (Ocean) (Code 0004) p. 22

Implant: Ø 4
Platform: 4 (Ocean) (Code 0004) p. 22

Implant: Ø 4,5
Platform: 4,5 (Lilas) (Code 0030) p. 24

Implant: Ø 5
Platform: 5 (Lilas) (Code 0030) p. 24

Master S

Implant: Ø 3,3
Platform: 3,3 (Ocean) (Code 0004) p. 22

Implant: Ø 3,75
Platform: 3,75 (Lilas) (Code 0030) p. 24

Implant: Ø 4,25
Platform: 4,25 (Lilas) (Code 0030) p. 24

Implant: Ø 4,75
Platform: 4,75 (Lilas) (Code 0030) p. 24

Master L

Implant: Ø 3,3
Platform: 3,3 (Lilas) (Code 0030) p. 24

Implant: Ø 3,75
Platform: 3,75 (Lilas) (Code 0030) p. 24

Implant: Ø 4,25
Platform: 4,25 (Lilas) (Code 0030) p. 24

Implant: Ø 4,75
Platform: 4,75 (Lilas) (Code 0030) p. 24

EUROTEKNIKA

Naturactis

Implant: Ø 3,5
Platform: 3,4 (Code 0004) p. 22

Implant: Ø 4
Platform: 3,8 (Code 0004) p. 22

Implant: Ø 4,5
Platform: 4,3 (Code 0004) p. 22

Implant: Ø 5
Platform: 4,8 (Code 0004) p. 22

Natea

Implant: Ø 3,6/4,1/4,8
Platform: Narrow (Code 0004) p. 22

Implant: Ø 3,6/4,1/4,8
Platform: Regular (Code 0004) p. 22

Implant: Ø 6
Platform: Wide (Code 0004) p. 22

Naturall

Implant: Ø 3,5
Platform: Narrow (Code 0004) p. 22

Implant: Ø 4/4,5
Platform: Regular (Code 0004) p. 22

Implant: Ø 5
Platform: Wide (Code 0004) p. 22

GALIMPLANT

Internal Connection

Implant: Ø 3,5
Platform: 3,5 (Code 0004) p. 22

Implant: Ø 4
Platform: 4 (Code 0004) p. 22

Implant: Ø 5
Platform: 5 (Code 0004) p. 22

HAHN IMPLANT (GLIDEWELL)

Hahn Tapered Implant

Implant: Ø 3,5/4,3
Platform: 3,5/4,3 (Code 0021) p. 23

Implant: Ø 5
Platform: 5 (Code 0022) p. 23

HI-TEC

Tapered Self Thread

Implant: Ø 3,3/3,75
Platform: 3,5 (Code 0040) p. 25

Logic Plus

Implant: Ø 3,5
Platform: 3,7 (Code 0040) p. 25

Implant: Ø 4,3
Platform: 3,9 (Code 0040) p. 25

HIOSSEN

ETTI SA/ETIII SA

Implant: Ø 4/4,5/5
Platform: Regular (Code 0030) p. 24

ETTI BA

Implant: Ø 4/4,5/5
Platform: Regular (Code 0030) p. 24

IBS

Magic FC

Implant: Ø 4/4,5/5/5,5/6/6,5
Platform: 3,8 (Code 0030) p. 24

N.R Fix

Implant: Ø 3/3,5
Platform: 3,8 (Code 0030) p. 24

IDO IMPLANTS

IDo Implant

Implant: Ø 3,8/4/4,5/5/5,5/6/7
Platform: Universal (Code 0030) p. 24

IHDE DENTAL (IMBIODENT)

Bone Level Plus

Implant: Ø 3,3
Platform: 3,3 (Code 0033) p. 24

Implant: Ø 4,1
Platform: 4,1 (Code 0035) p. 24

Implant: Ø 4,8
Platform: 4,8 (Code 0035) p. 25

IMPLANT DIRECT

Legacy

Implant: Ø 3,7/4,2
Platform: 3,5 (Code 0040) p.25

SwishActive

Implant: Ø 3,3
Platform: 3 (Code 0021) p. 23

Implant: Ø 4,1/4,8
Platform: 3,4 (Code 0022) p. 24

Interactive

Implant: Ø 3,2/3,7
Platform: 3 (Code 0021) p. 23

Implant: Ø 4,3/5
Platform: 3,4 (Code 0022) p. 24

IMPLANT GENESIS

Aktiv System

Implant: Ø 3,5/3,75/4,2/5
Platform: Standard (Code 0040) p. 25

INTRA-LOCK

IntraHex

Implant: Ø 3,75/4
Platform: 3,5 (Code 0040) p. 25

JDENTALCARE

JDEvolution/JDEvolution Plus

Implant: Ø 3,7
Platform: 3,7 (Code 0040) p. 25

Implant: Ø 4,3/5
Platform: 4 (Code 0040) p. 25

Implant: Ø 6
Platform: 5 (Code 0040) p. 25

JD ICON

Implant: Ø 3,9
Platform: 3,9 (Code 0022) p. 24

Implant: Ø 4,3
Platform: 4 (Code 0022) p. 24

Implant: Ø 5
Platform: 4,7 (Code 0022) p. 24

LEADER

Tixos Internal Hex

IImplant: Ø 3,3
Platform: 3,5 (Code 0040) p. 25

Implant: Ø 3,75
Platform: 4 (Code 0040) p. 25

MEGAGEN

AnyRidge

Implant: Ø 3,5
Platform: Small (Code 0015) p. 23

Implant: Ø 4/4,5
Platform: Regular (Code 0015) p. 23

Implant: Ø 5/5,5
Platform: Wide (Code 0015) p. 23

AnyOne Internal

Implant: Ø 3,5/4/4,5/5/6/7
Platform: General (Code 0030) p. 24

MIS

Seven

Implant: Ø 3,75/4,2
Platform: Standard (Code 0040) p. 25

M4

Implant: Ø 3,75/4,2
Platform: Standard (Code 0040) p. 25

MOZO-GRAU

MG Inhex

Implant: Ø 3,75/4,25
Platform: 2,8 Standard (Code 0004) p. 22

MPI

Privilege CM

Implant: Ø 3,5/4
Platform: Regular (Code 0004) p. 22

Excellence CM

Implant: Ø 3,5/4
Platform: Regular (Code 0004) p. 22

NEOBIOTECH

- IS Implant: System

Implant: Ø 4
Platform: Regular 4 (Code 0030) p. 24

Implant: Ø 4,5
Platform: Regular 4,5 (Code 0030) p. 24

Implant: Ø 5
Platform: Wide 5 (Code 0030) p. 24

NOBEL BIOCARE

- Active

Implant: Ø 3,5
Platform: Narrow (Code 0021) p. 23

Implant: Ø 4,3/5
Platform: Regular (Code 0022) p. 24

- NobelParallel

Implant: Ø 3,75
Platform: Narrow (Code 0021) p. 23

Implant: Ø 4,3/5
Platform: Regular (Code 0022) p. 24

NORIS MEDICAL

- Tuff

Implant: Ø 3,3/3,75/4,2/5/6
Platform: 3,75 (Code 0040) p. 25

- Tuff TT

Implant: Ø 3,3/3,75/4,2/5/6
Platform: 3,75 (Code 0040) p. 25

- Onix

Implant: Ø 3,3/3,75/4,2/5/6
Platform: 3,75 (Code 0040) p. 25

- Cortical

Implant: Ø 4,0/5/6
Platform: 3,75 (Code 0040) p. 25

- PteryCore

Implant: Ø 4,2
Platform: 3,75 (Code 0040) p. 25

- PteryFit

Implant: Ø 4,2
Platform: 3,75 (Code 0040) p. 25

OSTEOPLUS

- Shi

Implant: Ø 3,3 / 3,75 / 4,2
Platform: 3,5 (Code 0040) p. 25

OSSTEM IMPLANT

- TS

Implant: Ø 4/4,5/5/6/7
Platform: Regular (Code 0030) p. 24

PROCLINIC

- Aqua CM

Implant: Ø 3,5/4/5
Platform: 2,82 (Code 0004) p. 22

- Cylindrical Internal/Conical Internal

Implant: Ø 3,3/3,75/4,25/5//3,5/4/5
Platform: 3,5 (Code 0040) p. 25

SEWON MEDIX

- IH2 SLA SYSTEM

Implant: Ø 3,5/4/4,5/5
Platform: Regular (Code 0030) p. 24

- IH2 RBM SYSTEM

Implant: Ø 3,5/4/4,5/5
Platform: Regular (Code 0030) p. 24

SGS

- P1

Implant: Ø 3,2/3,75/4,2/5/6
Platform: 3,75 (Code 0040) p. 25

- P7

Implant: Ø 3,2/3,75/4,2/4,5/5/6
Platform: 3,75 (Code 0040) p. 25

SIGNO VINCES

- Compact

Implant: Ø 4,5
Platform: CM3,8 (Code 0004) p. 22

- Duocon

Implant: Ø 3,8
Platform: CM3,8 (Code 0004) p. 22

- Infra

Implant: Ø 3,3/3,8/4,6
Platform: CM (Code 0004) p. 22

SOUTHERN IMPLANTS

- Deep Conical

Implant: Ø 3,5/4
Platform: 2,95/3,1 (Code 0004) p. 22

- Internal Hex

Implant: Ø 3,75/4,2/5
Platform: Universal (Code 0040) p. 25

STRAUMANN

- Bone Level

Implant: Ø 3,3
Platform: NC- 3,3 (Code 0033) p. 24

Implant: Ø 4,1
Platform: RC-4,1 (Code 0035) p. 25

Implant: Ø 4,8
Platform: RC-4,8 (Code 0035) p. 25

- BLX

Implant: Ø 3,5/3,75/4/4,5
Platform: RB (Regular Base) (Code 0207) p. 26

TITANIUM-FIX

- b-fix

Implant: Ø 3,5/4
Platform: Regular (Code 0004) p. 22

TRE-OSS

- Simple

Implant: Ø 3,3/3,75/5
Platform: 3,75 Amarillo (Code 0040) p. 25

TRI DENTAL IMPLANTS

- TRI-Vent

Implant: Ø 3,75/4,1/4,7
Platform: 3,5 (Code 0040) p. 25

UFIT

- Gt2

Implant: Ø 3,5
Platform: Mini (Code 0004) p. 22

- Nt2

Implant: Ø 3,5
Platform: Mini (Code 0004) p. 22

VULKAN IMPLANTS

- IN-Hex

Implant: Ø 3,3/3,75/4,2/5
Platform: 3,75 (Code 0040) p. 25

YES IMPLANT

- S-SYSTEM

Implant: Ø 3,3/3,5
Platform: Narrow (Code 0030) p. 24

Implant: Ø 4/4,5
Platform: Regular (Code 0030) p. 24

Implant: Ø 5/5,5
Platform: Wide (Code 0030) p. 24

ZIMMER

- Screw-Vent

Implant: Ø 3,7/4,1
Platform: 3,5 (Code 0040) p. 25

COMPATIBLE with 0001

MULTI-UNIT	GINGIVAL HEIGHT 1 mm	GINGIVAL HEIGHT 2 mm	GINGIVAL HEIGHT 3 mm	GINGIVAL HEIGHT 4 mm
R	42.302.001.01-2	42.302.001.02-2	42.302.001.03-2	42.302.001.04-2

DAS LIBRARIES:
MU SCANBODY DAS_MU_0001_PREMIUM
MU SCANALOG DAS_MU_SA_0001_PREMIUM
DYNAMIC µSCANBODY DAS_MU_I/IG_0001_PREMIUM



COMPATIBLE with 0002

MULTI-UNIT	GINGIVAL HEIGHT 1 mm	GINGIVAL HEIGHT 2 mm	GINGIVAL HEIGHT 3 mm	GINGIVAL HEIGHT 4 mm
R	42.303.002.01-2	42.303.002.02-2	42.303.002.03-2	42.303.002.04-2

DAS LIBRARIES:
MU SCANBODY DAS_MU_0002_PREMIUM
MU SCANALOG DAS_MU_SA_0002_PREMIUM
DYNAMIC µSCANBODY DAS_MU_I/IG_0002_PREMIUM



COMPATIBLE with 0004

MULTI-UNIT	GINGIVAL HEIGHT 1 mm	GINGIVAL HEIGHT 2 mm	GINGIVAL HEIGHT 3 mm	GINGIVAL HEIGHT 4 mm
R	42.303.004.01-2	42.303.004.02-2	42.303.004.03-2	42.303.004.04-2

DAS LIBRARIES:
MU SCANBODY DAS_MU_0004_PREMIUM
MU SCANALOG DAS_MU_SA_0004_PREMIUM
DYNAMIC µSCANBODY DAS_MU_I/IG_0004_PREMIUM



COMPATIBLE with 0006

MULTI-UNIT	GINGIVAL HEIGHT 1 mm	GINGIVAL HEIGHT 2 mm	GINGIVAL HEIGHT 3 mm	GINGIVAL HEIGHT 4 mm
R	42.302.006.01-2	42.302.006.02-2	42.302.006.03-2	42.302.006.04-2

DAS LIBRARIES:
MU SCANBODY DAS_MU_0006_PREMIUM
MU SCANALOG DAS_MU_SA_0006_PREMIUM
DYNAMIC µSCANBODY DAS_MU_I/IG_0006_PREMIUM



COMPATIBLE with 0015

MULTI-UNIT	GINGIVAL HEIGHT 1 mm	GINGIVAL HEIGHT 2 mm	GINGIVAL HEIGHT 3 mm	GINGIVAL HEIGHT 4 mm
R	42.303.015.01-2	42.303.015.02-2	42.303.015.03-2	42.303.015.04-2

DAS LIBRARIES:
MU SCANBODY DAS_MU_0015_PREMIUM
MU SCANALOG DAS_MU_SA_0015_PREMIUM
DYNAMIC µSCANBODY DAS_MU_I/IG_0015_PREMIUM



COMPATIBLE with 0021

MULTI-UNIT	GINGIVAL HEIGHT 1 mm	GINGIVAL HEIGHT 2 mm	GINGIVAL HEIGHT 3 mm	GINGIVAL HEIGHT 4 mm
R	42.302.021.01-2	42.302.021.02-2	42.302.021.03-2	42.302.021.04-2

DAS LIBRARIES:
MU SCANBODY DAS_MU_0021_PREMIUM
MU SCANALOG DAS_MU_SA_0021_PREMIUM
DYNAMIC µSCANBODY DAS_MU_I/IG_0021_PREMIUM



COMPATIBLE with 0022

MULTI-UNIT	GINGIVAL HEIGHT 1 mm	GINGIVAL HEIGHT 2 mm	GINGIVAL HEIGHT 3 mm	GINGIVAL HEIGHT 4 mm
R	42.303.022.01-2	42.303.022.02-2	42.303.022.03-2	42.303.022.04-2

DAS LIBRARIES:
MU SCANBODY DAS_MU_0022_PREMIUM
MU SCANALOG DAS_MU_SA_0022_PREMIUM
DYNAMIC µSCANBODY DAS_MU_I/IG_0022_PREMIUM



COMPATIBLE with 0030

MULTI-UNIT	GINGIVAL HEIGHT 1 mm	GINGIVAL HEIGHT 2 mm	GINGIVAL HEIGHT 3 mm	GINGIVAL HEIGHT 4 mm
R	42.303.030.01-2	42.303.030.02-2	42.303.030.03-2	42.303.030.04-2

DAS LIBRARIES:
MU SCANBODY DAS_MU_0030_PREMIUM
MU SCANALOG DAS_MU_SA_0030_PREMIUM
DYNAMIC µSCANBODY DAS_MU_I/IG_0030_PREMIUM



COMPATIBLE with 0033

MULTI-UNIT	GINGIVAL HEIGHT 1 mm	GINGIVAL HEIGHT 2 mm	GINGIVAL HEIGHT 3 mm	GINGIVAL HEIGHT 4 mm
R	42.302.033.01-2	42.302.033.02-2	42.302.033.03-2	42.302.033.04-2

DAS LIBRARIES:
MU SCANBODY DAS_MU_0033_PREMIUM
MU SCANALOG DAS_MU_SA_0033_PREMIUM
DYNAMIC µSCANBODY DAS_MU_I/IG_0033_PREMIUM



COMPATIBLE with 0035

MULTI-UNIT	GINGIVAL HEIGHT 1 mm	GINGIVAL HEIGHT 2 mm	GINGIVAL HEIGHT 3 mm	GINGIVAL HEIGHT 4 mm
R	42.303.035.01-2	42.303.035.02-2	42.303.035.03-2	42.303.035.04-2

DAS LIBRARIES:
MU SCANBODY DAS_MU_0035_PREMIUM
MU SCANALOG DAS_MU_SA_0035_PREMIUM
DYNAMIC µSCANBODY DAS_MU_I/IG_0035_PREMIUM



COMPATIBLE with 0040

MULTI-UNIT	GINGIVAL HEIGHT 1 mm	GINGIVAL HEIGHT 2 mm	GINGIVAL HEIGHT 3 mm	GINGIVAL HEIGHT 4 mm
R	42.302.040.01-2	42.302.040.02-2	42.302.040.03-2	42.302.040.04-2

DAS LIBRARIES:
MU SCANBODY DAS_MU_0040_PREMIUM
MU SCANALOG DAS_MU_SA_0040_PREMIUM
DYNAMIC µSCANBODY DAS_MU_I/IG_0040_PREMIUM



COMPATIBLE with 0075

MULTI-UNIT	GINGIVAL HEIGHT 1 mm	GINGIVAL HEIGHT 2 mm	GINGIVAL HEIGHT 3 mm	GINGIVAL HEIGHT 4 mm
R	-	42.302.075.02-2	42.302.075.03-2	42.302.075.04-2

DAS LIBRARIES:
MU SCANBODY DAS_MU_0075_PREMIUM
MU SCANALOG DAS_MU_SA_0075_PREMIUM
DYNAMIC µSCANBODY DAS_MU_I/IG_0075_PREMIUM



COMPATIBLE with 0169

MULTI-UNIT				
	GINGIVAL HEIGHT 1 mm	GINGIVAL HEIGHT 2 mm	GINGIVAL HEIGHT 3 mm	GINGIVAL HEIGHT 4 mm
R	42.302.169.01-2	42.302.169.02-2	42.302.169.03-2	42.302.169.04-2

GH= 1mm GH= 2mm GH= 3mm GH= 4mm



DAS LIBRARIES:

MU SCANBODY DAS_MU_0169_PREMIUM
MU SCANALOG DAS_MU_SA_0169_PREMIUM
DYNAMIC µSCANBODY DAS_MU_I/IG_0169_PREMIUM

COMPATIBLE with 0207

MULTI-UNIT				
	GINGIVAL HEIGHT 1 mm	GINGIVAL HEIGHT 2 mm	GINGIVAL HEIGHT 3 mm	GINGIVAL HEIGHT 4 mm
R	42.302.207.01-2	42.302.207.02-2	42.302.207.03-2	42.302.207.04-2

GH= 1mm GH= 2mm GH= 3mm GH= 4mm



DAS LIBRARIES:

MU SCANBODY DAS_MU_0207_PREMIUM
MU SCANALOG DAS_MU_SA_0207_PREMIUM
DYNAMIC µSCANBODY DAS_MU_I/IG_0207_PREMIUM

TALLADIUM GUARANTEE

TERMS AND CONDITIONS
These guarantee terms and conditions ("T&C") cover the entire range of Talladium products ("Products"), manufactured by TALLADIUM ESPAÑA S.L. and distributed by Geoda Medical S.L. or official dealers.
The guarantee described in these T&C is exclusively in benefit of the clinician ("Clinician") and of the dental technician ("Technician") and not for the benefit of third parties or institutions, including patients.

GUARANTEE PERIOD
TALLADIUM ESPAÑA S.L. offers a lifelong guarantee for its entire range of products starting from the date of issue of the invoice.

GUARANTEE SCOPE
Subject to the limitations and exceptions described in these T&C, TALLADIUM ESPAÑA S.L. will offer the following benefits:

QUALITY: If there are defects in the materials or in the manufacturing of the Product, TALLADIUM ESPAÑA S.L. will replace the Product with no additional cost.

SAFETY: If, having complied with all the product indications, the prosthesis should have to be made again, due to a fault in the Dynamic Abutment® or Dynamic Titanium Base® system, TALLADIUM ESPAÑA S.L. will replace the abutments and screws necessary to remake the prosthesis, as well as the costs derived from its manufacturing.

In case of having used our products and having complied with all the product indications, the implants suffer any damage, TALLADIUM ESPAÑA S.L. will pay the cost of the implants. This coverage will only be valid during the first 6 months after the collocation of the prosthesis which includes our products.

CLAIM REQUIREMENTS AND PROCEDURE
To receive the benefits indicated in these T&C, the treating Clinician must satisfy the following requirements:
a) The claim must be notified to TALLADIUM ESPAÑA S.L. within (30) days since the date the claimed defect was detected.
b) This requires that the Clinician or Technician must contact the customer service department by telephone or by e-mail to make the claim.
c) A claim form will be completed, which, together with a document or report which justifies the faulty Product and the faulty Product itself, will be sent by the customer to TALLADIUM ESPAÑA S.L. offices, within the previously indicated period.
d) Clinicians or Technicians presenting a claim in agreement with these T&C must be up to date in any payments owing to TALLADIUM ESPAÑA S.L. or to any of its subsidiaries, at the time when the claim form is presented.
e) All the use procedures of our Products must be carried out in agreement with the instructions of TALLADIUM ESPAÑA S.L. as well as in accordance with commonly accepted dentistry practices.
f) The expenses derived from this procedure will be assumed by the customer. The return shipping costs will be assumed by TALLADIUM ESPAÑA S.L. in all those cases covered by these T&C.

Regardless of the guarantee rights, claims should be notified as soon as possible in order to comply with regulatory requirements.

GENERAL LIMITATIONS OF THIS GUARANTEE
With the exception of the guarantee described in these T&C, neither TALLADIUM ESPAÑA S.L. nor its representatives, nor third parties manufacturing or distributing the Products, represent or offer a guarantee, agreement or any other express or implicit, oral or written, commitment, with respect to the Products (without limitation), including guarantees involved in the marketing, durability or suitability for individual uses or purposes.

In addition and within the maximum extent permitted by the relative law, TALLADIUM ESPAÑA S.L. rejects (on its own behalf, and on behalf of its representatives and third parties that manufacture or distribute Products) any responsibility with respect to any direct or indirect damage caused, which may result from or be a consequence of the design, composition of the dental prosthesis into which the Products are integrated.

GUARANTEE EXCLUSIONS
TALLADIUM ESPAÑA S.L. limits this guarantee to:
- Transformed abutments that form part of the dental prosthesis. But not the screws used to anchor them.
- Clinical screws that have been in the mouth for more than 2 years.

AMENDMENT OR SUSPENSION OF THE GUARANTEE
TALLADIUM ESPAÑA S.L. reserves the right to amend or withdraw these T&C at any time and without prior notification. Any modification or suspension shall not affect products already placed in patients.

Ed.2019-01

www.dynamicabutment.com

DYNAMIC ABUTMENT® SOLUTIONS

VIRGINIA WOOLF, 17 · 25005 · LLEIDA (SPAIN)
INTERNATIONAL +34 873 450 709
das@dynamicabutment.com
SPAIN +34 973 289 580
spain@dynamicabutment.com

Dynamic Abutment® Solutions is a trademark of the manufacturer Talladium España S.L

The information included in this catalogue is exclusively addressed to professionals in dental sector.

All commercial trademarks mentioned herein are fully registered by their respective companies, and the images that appear are just to provide an orientation.
Talladium reserves the right to modify this document without previous notice.
Talladium is not responsible for the inadequate execution of these products if the warning indications corresponding to every reference are not contemplated.

All of the products listed in this brochure are marking in accordance with CE legislation. Some of the products are not authorized for sale and distribution or do not have a sales license in some countries according to other legislations (FDA, MDSAP, etc.) Please ask for information: das@dynamicabutment.com

CE *Marking in accordance with CE legislation and applicable sanitary regulations*

CE 0051

Visit our Online Store to find all our products and compatibilities :

www.dynamicabutmentstore.com

Ed.2020-04

DYNAMIC ABUTMENT® SOLUTIONS

DYNAMIC ABUTMENT® SOLUTIONS
Virginia Woolf, 17
25005 · Lleida · Spain
+34 873 450 709
das@dynamicabutment.com
www.dynamicabutment.com

DYNAMIC ABUTMENT® SOLUTIONS